





Ausf.: De Haan „rund“



Typ	Profil	B Breite mm	R Radius mm	L Länge mm	S Spannweite mm	H Höhe mm	Gewicht (kg)	Bestell- nummer
H1308/12	12/40	130	260	800	520	250	1,0	413011.001
H1508/12	12/40	150	250	815	500	265	1,2	405951.001
H1508	40/40	150	250	815	500	265	1,4	405973.001
H1509/12	12/40	150	280	910	560	295	1,4	400348.001
H1509	40/40	150	280	910	560	295	1,4	402500.001
H1510/12	12/40	150	300	970	600	320	1,5	405971.001
H1510	40/40	150	300	970	600	315	1,7	405972.001
H1810/12	12/40	185	320	980	630	305	2,0	402501.001
H1810	40/40	180	320	980	640	305	2,0	402502.001
H2011/12	12/40	195	340	1060	680	345	2,3	402503.001
H2011	40/40	200	330	1065	660	345	2,3	402252.001
H2012/12	12/40	200	375	1210	750	390	2,7	4803409X
H2012	40/40	200	375	1210	750	390	2,6	402504.001
H2212/12	12/40	220	375	1210	750	390	2,9	4803419X
H2212	40/40	220	375	1210	750	390	2,9	402505.001
H2213/12	12/40	220	400	1285	800	415	3,1	400349.001
H2213	40/40	220	400	1285	800	415	3,1	402487.001
H2412/12	12/40	240	375	1210	750	390	3,1	401599.001
H2413/12	12/40	240	400	1285	800	415	3,2	401532.001
H2413	40/40	240	400	1285	800	415	3,3	400350.001
H2414/12	12/40	240	430	1380	860	445	3,6	401851.001
H2414	40/40	240	430	1380	860	445	3,6	402507.001
H2613/12	12/40	260	400	1285	800	415	3,5	400351.001
H2613	40/40	260	400	1285	800	415	3,5	400352.001
H2614/12	12/40	260	430	1380	860	445	3,7	401852.001
H2614	40/40	260	430	1380	860	445	3,7	402508.001
H2717	40/40	270	500	1660	1000	545	4,8	400353.001
H2719	40/40	270	560	1870	1120	605	5,4	419268.001
H2812/12	12/40	280	375	1210	750	390	3,1	404908.001
H2814/12	12/40	280	430	1380	860	445	3,9	403815.001



Ausführung mit umgebördelten Kanten auf Anfrage. Änderungen vorbehalten.

Ausf.: Knott „rund“






Typ	Lochung	Profil	B Breite mm	R Radius mm	L Länge mm	S Spannweite mm	H Höhe mm	Gewicht (kg)	Bestell- nummer
6X0573.001 / H2011/12	nein	12/40	200	330	1065	660	345	2,30	406707.001
6X0573.014	ja	12/40	200			700	390	2,60	406708.001
6X0573.013 / H2012/12	ja	12/40	200	375	1210	750	415	2,70	406709.001
6X0573.018 / H2212/12	ja	12/40	220	375	1210	750	390	2,90	406710.001
6X0573.005 / H2213/12	nein	12/40	220	400	1285	800	415	3,10	406711.001
6X0573.006 / H2214/12	nein	12/40	220	430	1380	860	445	3,20	406712.001
6X0573.017 / H2412/12	ja	12/40	240	375	1210	750	390	3,10	406713.001
6X0573.015 / H2413/12	ja	12/40	240	400	1285	800	415	3,20	406714.001
6X0573.009 / H2414/12	nein	12/40	240	430	1380	860	445	3,60	406715.001
6X0573.010 / H2413	nein	40/40	240	400	1280	800	415	3,20	406716.001
6X0573.025 / H2613/12	ja	12/40	260	400	1285	800	415	3,50	406718.001

Ausf.: Knott „eckig“



Typ	Lochung	Profil	B Breite mm	R Radius mm	L Länge mm	S Spannweite mm	H Höhe mm	Gewicht (kg)	Bestell- nummer
6X1031.001	ja	12/40	170	X	X	670	340	2,20	406719.001
6X1031.002	ja	12/40	200	X	X	760	390	2,40	406720.001
6X1031.004 / HM2212/12	ja	12/40	220	X	X	750	390	2,80	406722.001
6X1031.005 / HM2412/12	ja	12/40	240	X	X	750	390	3,20	406723.001

Ausf.: De Haan „eckig“



Typ	Profil	B Breite mm	R Radius mm	L Länge mm	S Spannweite mm	H Höhe mm	Gewicht (kg)	Bestell- nummer
HM1508/12	12/40	150	X	860	550	250	1,50	413003.001
HM1609/12	12/40	160	X	900	600	280	1,70	413004.001
HM1711/12	12/40	170	X	1060	600	340	2,00	412224.001
HM1909/12	12/40	190	X	900	600	280	1,90	407801.001
HM1911/12	12/40	190	X	1060	660	340	2,30	413005.001
HM2012/12	12/40	200	X	1150	750	350	2,60	402509.001
HM2212/12	12/40	220	X	1150	750	350	2,80	402510.001
HM2213/12	12/40	220	X	1200	800	370	2,90	413006.001
HM2412/12	12/40	240	X	1150	750	350	2,90	413007.001
HM2413/12	12/40	240	X	1240	800	370	3,20	402511.001
HM2414/12	12/40	240	X	1300	860	395	3,40	404815.001
HM2613/12	12/40	260	X	1240	800	370	3,30	402512.001



Typ	Ausf.	Gewicht (kg)	Bestell- nummer
Kotflügelhalter für Bootsanhänger	hinten links	0,50	33000.1
Kotflügelhalter für Bootsanhänger	hinten rechts	0,50	33000.2
Kotflügelhalter für Bootsanhänger	vorne links	0,50	33001.1
Kotflügelhalter für Bootsanhänger	vorne rechts	0,50	33001.2