


Newsletter

04.2022

KFGN35 Overrun coupling devices




knott.pl



Dear Sirs

We would like to introduce you to the alternative of the KFG35 GF overrun device. The offered KFGN35 device is attached to the drawbar with 4 M14 bolts, thanks to which it is possible to use a smaller device housing.



Art. Nr 209046.xxx

The KFGN35 device is available in a mechanical version - type A and in a hydraulic version - versions B, B1 and B2.

The operating range of the device is 2000-3500 kg, with a permissible vertical pressure of 250 kg for each of the available and offered versions.

If you have this type of overrun device in your full truck load approval, you can use it interchangeably with overrun devices up to 3500 kg of our company, but also our competitors.

The approval number of the offered device is:


E1*55R01/00*2758*00 (marking E1 55R-01 2758).



KFGN35 devices are an ideal alternative to overrun devices for trailers up to 3.5T, especially today, when supply chains are disturbed.

We encourage you to familiarize yourself with the offer and contact the representatives of the sales department.

Our offer includes many types of overrun devices which, apart from the standard ones, can be offered to you, therefore contact with the sales department representative may allow you to satisfy your needs.



Detailed information about the products is provided by the Trade Department of KNOTT Sp. z o.o.

KNOTT Sp. z o.o.

63-011 Pławce
Zdziechowice 100
tel. 61 287 60 00
fax 61 287 60 01
info@knott.pl
www.knott.pl

