

Newsletter

06.2023

WK30-A and WK35-A couplings



knott.pl




Dear Sirs,

The following publication aims to introduce two new types of ball couplings. Both of the couplings are offered in a standard that matches the current ones on the market, thanks to which they can be used interchangeably with couplings available on the market, both those of Knott and other manufacturers.

The first of the offered couplings is designed for trailers with a maximum tonnage of up to 3000 kg and maximum vertical pressure on the ball up to 300 kg.


A characteristic feature of the offered coupling is a lever in the shape of an oval handle. It is the only coupling offered by our company that has this type of lever, thanks to which it stands out from other coupling in our offer and is easily recognizable.



WK30-A coupling - 6E0415.001

The WK35-A coupling is designed for trailers with a maximum tonnage of up to 3500 kg and a maximum vertical load on the ball of up to 350 kg.

A characteristic feature of the coupling, as in the case of the WK30-A model, is the lever in the shape of an oval handle.




WK35-A coupling - 6E0492.001



Knott couplings are the highest quality of the product and a guarantee of high quality and satisfaction. Couplings fit all types of devices offered on the market and can be used interchangeably with couplings offered by Knott and competitors.

Oferowane zaczepy to przede wszystkim ciekawy design rączki, który zdecydowanie wyróżnia go na tle zaczepów dostępny na rynku, zarówno tych produkcji Knott, ale również innych producentów.



Interesting design, high resistance and durability are the characteristics of the new catch.

The WK35 coupling is also the second hitch in our offer, which can transfer vertical pressure of up to 350kg.

The S-350 is very important in many special constructions, which is why we recommend this hitch to any user who has encountered the problem of maximum vertical pressure on the ball.

The hitch has a very low lever, thanks to which a low ground clearance is possible, which is important in various special trailers offered on the market.



WK30-A and WK35-A couplings are the perfect solution for your needs, so we encourage you to familiarize yourself with our offer and contact with sales representatives.

WK30-A
 E7 55R 012051
 B50X S-300kg
 D/DC 27kN
 DMC 3000kg

WK35-A
 E7 55R 012052
 B50X S-350kg
 D/DC 31kN
 DMC 3500kg

WK 30-A		
Art. Nr.	holes	
6E0415.003	$\varnothing 12,5 \pm 0,3$	$\varnothing 14,5 \pm 0,3$
6E0415.002	$\varnothing 14,5 \pm 0,3$	$\varnothing 14,5 \pm 0,3$
6E0415.001	$\varnothing 12,5$	$\varnothing 12,5 \pm 0,3$



Detailed information about the products is provided by the KNOTT Sp. z o. o.

KNOTT Sp. z o.o.

63-011 Pławce
 Zdziechowice 100
 tel. 61 287 60 00
 fax 61 287 60 01
info@knott.pl
www.knott.pl

