


# Newsletter

11.2020

Universal coupling KNOTT K30U




knott.pl


Dear Sirs,

in our offer you will also find the universal K30U coupling, which has the undoubted advantage of being able to mount on several diameters of the slide.

- The overlay system allows installation on slides with diameters from 35mm to 50mm,
- The coupling has a replaceable 7 and 13 PIN plug holder,
- Ergonomic shape and compact construction allow for easy opening of the clip and detachment from the ball,
- Maintenance points have been marked on the coupling to facilitate operation,
- Coupling is adapted for mounting the anti-theft lock.



Art. Nr. 6E0350.200





Coupling is offered in a set with screws and reducing caps for the slide, so it can be mounted on many types of overrun devices, including the competition.



The K30U coupling is designed for a maximum trailer weight of 3000kg.

Permissible static pressure on the ball is 300kg, thanks to which it will meet the requirements of even those customers who require high pressure on the ball.



A K30U coupling with a diameter reduction inside. It allows mounting the hitch on sliders with smaller diameters than the nominal one.

Detailed informations are provided by Sales Department of KNOTT Sp. z o.o.

KNOTT Sp. z o.o.

63-011 Pławce  
Zdziechowice 100  
tel. 61 287 60 00  
fax 61 287 60 01  
info@knott.pl  
[www.knott.pl](http://www.knott.pl)

