

Newsletter

12.2022

Jockey wheels



knott.pl




Dear Sirs,

We present other variants of support wheels offered by our company.

The wheels are characterized by high strength and durability, which makes them an ideal solution for you.

The first wheel is the ATK60 wheel with a maximum permissible vertical pressure of 250 kg. This wheel is equipped with a 200x50mm wheel.




Art. No 422821.001

Art. No 422821.001



A support wheel with a steel rim and a non-standard connection console allowing for installation in non-standard solutions for trailers.




The crank is made of steel with a plastic handle with the logo of our company.

Below we present an example of the use of wheels



Another support wheel that we want to present to you is the reinforced ATK60 wheel with a 200x50 wheel with a maximum permissible vertical pressure of 500 kg



Art. No 424197.001




A specially reinforced wheel forks and the wheel itself allowed to increase the load capacity of the support wheel to 500 kg



The crank is made entirely of plastic, including the handle with the logo of our company.

The last of the presented wheels is a TK48 wheel with a 225x65 wheel and a steel rim.

The support wheel is intended for trailers, where the maximum vertical load on the support wheel does not exceed 150 kg.



1:3

Art. No 424098.001



Art. No 424098.001



The offered support wheel is equipped with an electronic scale at the end of the body. Thanks to the aforementioned weight, it is possible to measure the vertical pressure on the support wheel, and thus we are able to easily determine whether the wheel is overloaded.

To enable communication of the support wheel weight with the phone, you must have a free service application of our company, which is available for both Android and Apple phones.



Knott Service App

Detailed information about the products is provided by the Trade Department of KNOTT Sp. z o.o.

KNOTT Sp. z o.o.

63-011 Plawce
Zdziechowice 100
tel. 61 287 60 00
fax 61 287 60 01
info@knott.pl
www.knott.pl

