


Newsletter

13.2021

Approval of K35U coupling head




knott.pl



Dear Sirs,

we would like to inform you that the K35U coupling head has been modified and subjected to approval tests. The coupling head is approved for trailers up to 3000 kg. The changes that have recently been introduced in the new version of the ECE R55 Regulation (version 02) force the manufacturer to change the product marking taking into account the extension number.

Therefore, we would like to inform you about the change of the approval number that will soon appear on the K30U coupling head offered by our company.



**K30U
S-300kg**



The coupling head will be offered with the old approval number until stocks are available, and new production will take place with a new marking in accordance with the new guidelines for marking products approved in accordance with Regulation R55

K30U coupling heads are equipped with a set of reduction sleeves so that it can be used for overrun devices with different diameters of the bolt, offered by Knott and competitors.

In connection with the change of the approval number, please check whether it does not require any changes to the FTL approval.



E1 55R02/01*2507*01

B50X S-300kg

D/DC 27.00

DMC 3000kg



The coupling head can be mounted on all overrun devices with a slide with a nominal diameter of 35mm, 40mm, 45mm and 50mm, i.e. on any overrun device equipped with such sliders.

This solution allows for quick replacement, even if we are not sure what type of bolt carrier we have.

Art. No	Type	Mounting screws	S
6E0350.001	K30U	M14/M14	300 kg
6E0350.002	K30U	M12/M12	300 kg
6E0350.003	K30U	M12/M14	300 kg
6E0350.004	K30U	M14/M14	300 kg

Detailed information about the products is provided by the Trade Department of KNOTT Sp. z o.o.

KNOTT Sp. z o.o.

63-011 Pławce
Zdziechowice 100
tel. 61 287 60 00
fax 61 287 60 01
info@knott.pl
www.knott.pl

