

Newsletter

16.2020

New couplings in KNOTT range



knott.pl








Dear Sirs,

in the publication below we present non-standard Knott taps offered on the European market that have ECE approval. These solutions are characterized primarily by the shape of the hook lever which distinguishes it from the competition.

We encourage you to familiarize yourself with the offer and test new solutions.



Type WK35-A
Art. Nr. 6E0492.001
ECE: 55R-012052
Load capacity: 3500 kg
Joint size: $\varnothing 60$ mm





Type WK30-A

Art. Nr. 6E0415.001 - 12,5/12,5






6E0415.002 - 14,5/14,5

6E0415.003 - 12,5/14,5

ECE: 55R-012051

Load capacity: 3000 kg

Joint size: ø50 mm









Type Type1

Art. Nr. 506021





ECE: E1 55R-010164

Load capacity: 2700 kg

Joint size: ø60 mm



Type FLE 27-A
Art. Nr. 6E0501.001
ECE: *under process*
Load capacity: 2700 kg
Joint size: $\varnothing 50$ mm







Type FLE 35-A

Art. Nr. 6E0504.001

ECE: *under process*

Load capacity: 3500 kg

Joint size: $\varnothing 60$ mm





Type Av30

Art. Nr. 202980.001 - 12,5/12,5




202980.002 - 14,5/12,5

202980.003 - 14,5/14,5



ECE: E1 55R-011521

Load capacity: 3000 kg

Joint size: $\varnothing 50$ mm



SCHNITT A-A





Type Av35

Art. Nr. 202980.001 - 12,5/12,5




202980.002 - 14,5/12,5

202980.003 - 14,5/14,5

ECE: E1 55R - 011520

Load capacity: 3500 kg

Joint size: ø60 mm



For more details please contact Sales Department

KNOTT Sp. z o.o.

63-011 Pławce
Zdziechowice 100
tel. 61 287 60 00
fax 61 287 60 01
info@knott.pl
www.knott.pl

